

Table 3

LIST OF NATURAL GAS FIELDS IN POLAND as of 31.XII.2025 with field numbers in the MIDAS System*
[million m³]

natural gas field ^G crude oil field ^O condensate gas field and/or gasoline gas field ^C									
	Field no. in the MIDAS System*	Name of field	State of develop- ment	Geological resources				Output	County
				exploitable anticipated economic anticipated sub-economic ^s		economic			
				Total	categories of resources exploration				
					A+B		C		
Total number of fields: 329				145,683.53 2,261.06 ^s	61,525.54 34.71 ^s	84,157.99 2,226.35 ^s	71,506.06	4,628.07	
Baltic Sea number of fields: 5				5,027.26 _ ^s	558.84 _ ^s	4,468.42 _ ^s	4,728.92	31.50	
1	18986	B21 ^C	R	275.00	-	275.00	261.23	-	Bałtyk (off shore)
2	9504	B3 ^O	E	159.71	155.79	3.92	111.02	8.66	Bałtyk (off shore)
3	9810	B4 ^C	P	1,799.40	-	1,799.40	1,661.00	-	Bałtyk (off shore)
4	9808	B6 ^C	P	2,390.10	-	2,390.10	2,327.00	-	Bałtyk (off shore)
5	9806	B8 ^O	E	403.05	403.05	-	368.67	22.84	Bałtyk (off shore)
Carpathians number of fields: 35				1,375.75 221.66 ^s	883.84 4.05 ^s	491.91 217.61 ^s	459.14	24.86	
1	6742	Bednarka ^G	E	4.67 ^s	-	4.67 ^s	3.91	0.28	gorlicki
2	4774	Biecz ^O	Z	3.49 ^s	3.49 ^s	-	-	-	gorlicki
3	4776	Bóbrka-Rogi ^O	E	18.65	18.65	-	0.68	0.05	krośnieński
4	4780	Czarna ^O	E	1.43	1.43	-	0.96	0.16	bieszczadzki
5	4658	Dąbrówka Tuchowska ^G	E	14.03	14.03	-	13.44	2.23	tarnowski
6	15736	Draganowa ^G	E	133.32	-	133.32	75.99	3.24	krośnieński
7	9138	Dwernik ^O	E	0.57	0.57	-	-	0.02	bieszczadzki
8	4777	Folusz-Pielgrzymka ^O	E	4.98	4.98	-	2.24	0.15	jasielski
9	4791	Gorlice ^{G, O}	Z	31.00	-	31.00	-	-	gorlicki
10	4656	Gorlice-Glinik ^C	E	7.09	-	7.09	7.09	0.51	gorlicki
11	2026	Grabownica ^O	E	16.78	16.78	-	4.82	1.01	brzozowski, sanocki
12	4931	Grabownica Wieś ^{G, O}	Z	35.88 48.06 ^s	-	35.88 48.06 ^s	-	-	brzozowski
13	4861	Harkłowa ^O	E	0.77	-	0.77	0.14	0.03	jasielski
14	4652	Iskrzynia ^G	Z	91.88 ^s	-	91.88 ^s	-	-	brzozowski, krośnieński
15	4851	Iwonicz Zdrój ^O	E	4.48	4.48	-	9.20	0.11	krośnieński
16	4781	Jaszczew ^G	E	204.25	163.58	40.67	32.57	2.90	jasielski, krośnieński
17	4654	Jurówce-Srogów ^G	E	48.84	33.84	15.00	40.13	5.23	sanocki
18	4789	Krościenko ^O	E	0.77	0.77	-	0.37	0.01	krośnieński, m. Krosno
19	7117	Lachowice-Stryszawa ^G	R	240.00	240.00	-	-	-	suski
20	4788	Łodyna ^O	E	49.30	49.30	-	4.59	0.40	bieszczadzki
21	4792	Magdalena ^O	Z	0.56 ^s	0.56 ^s	-	-	-	gorlicki
22	4779	Osobnica ^{G, O}	E	37.06	0.18	36.88	9.38	0.60	jasielski
23	4772	Potok ^O	E	7.46	7.46	-	0.97	0.02	krośnieński
24	4864	Roztoki ^G	E	114.07	53.43	60.64	73.52	5.39	jasielski
25	4655	Sanok-Zabłotce ^G	E	120.94	120.94	-	54.78	1.94	sanocki
26	4596	Słopnice ^C	Z	80.00	-	80.00	-	-	limanowski
27	4653	Strachocina ^G	G	121.50	121.50	-	121.50	-	brzozowski, sanocki
28	4761	Strzeszyn ^G	Z	2.66	-	2.66	-	-	gorlicki
29	4657	Szałowa ^G	E	66.99	18.99	48.00	0.99	0.40	gorlicki, nowosądecki
30	4820	Turze Pole-Zmiennica ^{G, O}	T	0.04	0.04	-	-	-	brzozowski
31	4868	Wańkowa ^O	E	3.81	3.81	-	1.59	0.15	bieszczadzki, leski
32	6740	Wetlina ^G	P	73.00 ^s	-	73.00 ^s	-	-	leski
33	4852	Węglówka ^O	E	8.02	8.02	-	0.28	0.02	krośnieński
34	4778	Wola Jasienicka ^O	Z	0.95	0.95	-	-	-	brzozowski, krośnieński
35	4783	Zatwarnica ^O	E	0.11	0.11	-	-	0.01	bieszczadzki
Polish Lowland number of fields: 168				104,707.11 1,976.94 ^s	45,475.72 8.75 ^s	59,231.39 1,968.19 ^s	50,445.87	3,440.62	
1	4937	Aleksandrówka ^G	E	62.26	62.26	-	6.78	10.15	górowski
2	9851	Antonin 1 ^C	Z	7.20 ^s	-	7.20 ^s	-	-	ostrowski, ostrzeszowski
3	4599	Babimost ^C	P	815.00	-	815.00	536.90	-	nowotomyski, wolsztyński, zielonogórski
4	20567	Bajerze ^G	E	325.99	-	325.99	169.81	29.56	chełmiński
5	7065	Barnówko-Mostno-Buszewo (BMB) ^C	E	4,739.00	4,739.00	-	2,079.59	419.09	gorzowski, myśliborski
6	4665	Białogard ^G	E	29.46	29.46	-	29.23	5.46	białogardzki
7	6727	Białogóra-E ^O	Z	0.86 ^s	-	0.86 ^s	-	-	pucki
8	4803	Błotno ^O	E	1.68	-	1.68	-	0.03	goleniowski
9	4663	Bogdai-Uciechów ^G	E	2,842.25	2,842.25	-	887.15	57.14	milicki, ostrowski

natural gas field^G
crude oil field^O
condensate gas field and/or gasoline gas field^C

	Field no. in the MIDAS System*	Name of field	State of develop- ment	Geological resources				Output	County
				exploitable anticipated economic anticipated sub-economic ^s			economic		
				Total	categories of resources exploration				
					A+B	C			
10	8756	Bonikowo ^G	G	328.63	328.63	-	-	-	grodziski, kościański
11	4725	Borowo ^G	E	277.20	-	277.20	272.30	18.50	kościański
12	4695	Borzęcin ^G	E	31.94	31.94	-	9.34	11.88	trzebnicki
13	5498	Breslack-Kosarzyn ^O	Z	-	-	-	-	-	krośnieński
14	9194	Brońsko ^G	E	9,954.89	9,954.89	-	5,605.96	910.09	grodziski, kościański
15	4691	Brzostowo ^G	Z	-	-	-	-	-	milicki, oleśnicki
16	16415	Brzózka ^G	P	75.40	-	75.40	-	-	krośnieński
17	4883	Buk ^O	E	8.90	8.90	-	-	0.00***)	nowotomyski, poznański
18	4680	Bukowiec ^G	Z	-	-	-	-	-	grodziski, nowotomyski
19	4705	Ceradz Dolny ^G	Z	85.27	-	85.27	-	-	poznański, szamotulski
20	20693	Chałupczyn ^O	B	17.93	-	17.93	15.97	-	świebodziński
21	20452	Chwałęcin ^G	E	240.04	-	240.04	235.80	44.10	jarociński, średzki
22	6723	Ciechnowo ^G	E	5.61	-	5.61	5.60	3.06	świdwiński
23	4760	Ciecierzyn ^C	E	561.50	476.50	85.00	77.12	12.41	lubelski, m. Lublin
24	19643	Czarna Wieś ^G	B	23.72	-	23.72	23.72	-	grodziski
25	4734	Czeklin ^C	P	95.00	-	95.00	-	-	krośnieński
26	4693	Czeszów ^G	E	374.91	374.91	-	122.34	5.12	milicki, oleśnicki, trzebnicki
27	20146	Dargosław ^G	E	431.77	-	431.77	431.77	8.28	gryficki
28	4800	Daszewo ^G	G	27.72	27.72	-	-	-	białogardzki
29	4699	Daszewo N ^G	E	776.45	385.05	391.40	29.17	17.66	kołobrzeski
30	6257	Dębina ^G	R	189.71	189.71	-	-	-	głogowski, wschowski
31	6726	Dębki ^O	Z	-	-	-	-	-	pucki
32	4726	Duszniki E ^G	Z	-	-	-	-	-	szamotulski
33	10584	Dzieduszyce ^O	E	45.90	-	45.90	-	2.92	gorzowski
34	9850	Elżbieciny ^G	E	25.75	25.75	-	25.74	13.43	grodziski
35	15122	Gajewo ^O	E	4.04	-	4.04	1.32	1.35	gorzowski, myśliborski
36	5316	Glinnik ^O	E	0.28	0.28	-	0.12	0.04	lubartowski, lubelski
37	7397	Gorzyce ^G	P	30.19	-	30.19	30.00	-	kościański
38	4687	Gorzysław N ^G	E	141.58	-	141.58	36.20	20.50	gryficki
39	4688	Gorzysław S ^G	E	413.86	413.86	-	9.06	0.20	gryficki
40	4667	Góra ^G	E	91.26	91.26	-	89.85	36.98	górowski
41	4962	Górzycza ^C	E	58.28	58.28	-	396.96	39.22	ślubicki
42	4740	Grabówka E ^G	Z	32.74	32.74	-	21.18	-	milicki
43	4739	Grabówka W ^G	P	170.00	-	170.00	-	-	milicki, trzebnicki
44	20407	Granówko ^G	E	121.21	-	121.21	120.50	10.82	grodziski
45	4700	Grochowice ^G	E	722.96	722.96	-	176.33	35.68	głogowski, nowosolski
46	14594	Grodzisk-26 ^G	Z	-	-	-	-	-	grodziski
47	10254	Grotów ^O	E	758.15	-	758.15	610.97	18.00	czarnkowsko-trzcianecki, międzychodzki, strzelecko- drezdenecki
48	7408	Gryżyna ^{C, O}	B	420.85	420.85	-	6.26	-	krośnieński, świebodziński
49	10133	Jabłonna ^G	E	733.01	733.01	-	732.98	104.18	grodziski
50	4708	Jankowice ^G	Z	-	-	-	-	-	poznański, szamotulski
51	4659	Jarocin ^G	E	384.45	382.31	2.14	3.47	0.67	jarociński, pleszewski
52	7108	Jastrzębsko ^C	R	96.00	96.00	-	-	-	nowotomyski
53	4941	Jeniniec ^O	E	0.52	0.52	-	-	0.23	gorzowski
54	4685	Kaleje ^G	E	394.30	394.30	-	16.63	0.00***)	średzki, śremski
55	7780	Kaleje E ^G	Z	-	-	-	-	-	średzki
56	14835	Kamień Mały ^O	E	118.59	-	118.59	43.50	2.29	gorzowski, sulęciński
57	4802	Kamień Pomorski ^O	E	7.69	7.69	-	-	0.18	kamieński
58	6253	Kandlewo ^G	R	239.53	54.89	184.64	-	-	górowski, wschowski
59	4598	Kargowa ^G	P	1,263.16	-	1,263.16	1,245.30	-	wolsztyński, zielonogórski
60	18189	Karmin ^G	E	193.06	193.06	-	193.06	22.37	pleszewski
61	4715	Kąkolewo ^C	P	240.00	-	240.00	-	-	leszczyński
62	4927	Kije ^O	Z	-	-	-	-	-	zielonogórski
63	5507	Kije NE ^O	Z	0.13 ^s	-	0.13 ^s	-	-	zielonogórski
64	9260	Klęka-E ^G	Z	-	-	-	-	-	jarociński
65	17085	Komorze ^G	P	340.05	-	340.05	-	-	jarociński, wrzesiński
66	5987	Kosarzyn blok E ^O	Z	-	-	-	-	-	krośnieński
67	5508	Kosarzyn blok S ^O	Z	-	-	-	-	-	krośnieński
68	7110	Kosarzyn N ^O	Z	-	-	-	-	-	krośnieński, ślubicki
69	7970	Kościan S ^G	E	2,631.50	1,555.01	1,076.49	867.93	261.68	kościański
70	8604	Kościan S-Ca2 ^G	P	1,310.00 ^s	-	1,310.00 ^s	-	-	kościański
71	20294	Koźminiec ^G	Z	44.54	-	44.54	44.52	-	pleszewski
72	19116	Krobielewo ^G	B	25,885.40	-	25,885.40	15,665.90	-	międzyrzecki, strzelecko-drezdenecki
73	12476	Kromolice ^G	Z	-	-	-	-	-	poznański, średzki
74	13324	Kromolice S ^G	Z	-	-	-	-	-	poznański, średzki

	Field no. in the MIDAS System*	Name of field	State of develop- ment	Geological resources			Output	County	
				exploitable anticipated economic anticipated sub-economic ^s		economic			
				Total	categories of resources exploration				
					A+B				C
75	6258	Kulów ^G	R	34.95	34.95	-	-	-	głogowski
76	4714	Lipowiec ^G	R	100.00	100.00	-	-	-	górowski
77	4942	Lipowiec E ^G	Z	-	-	-	-	-	górowski
78	15613	Lisewo ^G	E	584.15	-	584.15	580.15	15.68	jarociński, wrzesiński
79	9736	Lubiatów ^C	E	913.85	-	913.85	909.01	204.40	międzychodzki, międzyszecki, strzelecko-drezdenecki
80	7407	Lubiszyn ^O	E	1.98	-	1.98	-	0.82	gorzowski
81	9503	Łęki ^G	E	24.56	24.56	-	17.02	0.01	grodziski
82	7420	Melgiew A i Melgiew B ^C	E	803.89	116.76	687.13	107.78	12.31	lubelski, świdnicki
83	11162	Michorzewo ^O	E	3.49	3.49	-	-	1.11	nowotomyski
84	9502	Międzychód ^C	E	3,761.69	-	3,761.69	1,637.84	132.02	międzychodzki, strzelecko-drezdenecki
85	5327	Międzyzdroje-E ^G	P	300.00	-	300.00	-	-	kamiński
86	5328	Międzyzdroje-W ^G	P	300.00	-	300.00	-	-	kamiński, m. Świnoujście
87	19299	Miłosław ^G	E	100.05	-	100.05	90.86	7.62	średzki, wrzesiński
88	18606	Miłosław E ^G	E	735.85	-	735.85	346.66	18.33	średzki, wrzesiński
89	4709	Młodasko ^G	E	80.94	80.94	-	71.01	28.28	poznański, szamotulski
90	5511	Mozów S ^O	E	0.19	0.19	-	-	0.09	zielonogórski
91	7410	Namyslin ^O	R	24.72	24.72	-	-	-	myśliborski
92	587	Naratów ^G	E	77.74	77.74	-	76.61	13.00	górowski
93	4275	Niechlów ^G	E	60.53	60.53	-	52.03	8.58	górowski
94	4706	Niemierzyce ^G	Z	-	-	-	-	-	grodziski
95	6724	Nowa Sól ^G	R	8.75 ^s	8.75 ^s	-	-	-	nowosolski
96	10135	Nowy Tomyśl ^G	E	163.24	163.24	-	42.14	36.52	nowotomyski
97	21688	Ołaczewo ^G	P	449.60	-	449.60	449.60	-	średzki
98	11991	Ołobok ^O	E	3.75	-	3.75	-	0.26	świebodziński
99	8898	Pakosław ^G	R	249.00	249.00	-	-	-	rawicki
100	4710	Paproc ^G	E	2,045.87	1,994.73	51.14	688.61	249.61	grodziski, nowotomyski
101	5365	Paproc W ^{G, C}	E	867.35 650.00 ^s	847.35 - ^s 650.00 ^s	20.00 - ^s 650.00 ^s	637.39	138.67	nowotomyski
102	19633	Pniewy ^G	B	5,427.96	-	5,427.96	5,407.77	-	szamotulski
103	4728	Podrzewie ^G	E	285.23	-	285.23	-	9.42	szamotulski
104	19512	Połęcko ^O	E	0.89	0.89	-	0.85	0.85	krośniński
105	5329	Przytór ^G	P	360.00	-	360.00	-	-	m. Świnoujście
106	4698	Radlin ^G	E	2,486.33	2,486.33	-	31.67	0.09	jarociński, średzki
107	7112	Radoszyn ^O	E	90.69	85.69	5.00	13.47	3.40	świebodziński
108	4694	Radziądz ^G	E	106.11	106.11	-	3.85	6.11	trzebnicki
109	6728	Radziądz W ^G	R	40.00	40.00	-	-	-	trzebnicki
110	4718	Rawicz ^G	P	2,673.10	-	2,673.10	366.00	-	rawicki, trzebnicki
111	4717	Rawicz ^C	P	230.00	-	230.00	-	-	rawicki, trzebnicki
112	4847	Rekowo ^O	Z	-	-	-	-	-	kamiński
113	6920	Retno ^O	E	0.92	0.92	-	-	0.06	krośniński
114	21436	Rogusko ^G	P	89.95	-	89.95	84.50	-	średzki
115	20754	Rokietnica ^G	E	1,138.14	-	1,138.14	1,067.54	32.51	poznański, szamotulski
116	21354	Roszkowo ^G	B	243.59	-	243.59	233.81	-	kościański
117	11990	Roszków ^G	Z	-	-	-	-	-	jarociński
118	6732	Różańsko ^G	E	2,176.58	-	2,176.58	689.54	15.95	myśliborski
119	9411	Ruchocice ^G	E	236.30	236.30	-	96.67	2.34	grodziski
120	4704	Sędziny ^G	P	80.00	-	80.00	-	-	szamotulski
121	17983	Sieraków ^O	B	78.63	-	78.63	75.98	-	międzychodzki
122	21016	Sierosław ^G	P	888.00	-	888.00	706.10	-	poznański
123	10334	Ślawoborze ^O	E	1.15	1.15	-	-	0.06	świdwiński
124	13325	Ślawoborze ^C	E	27.15	-	27.15	26.27	4.00	świdwiński
125	8603	Solec ^G	P	76.00	-	76.00	-	-	śremski
126	9505	Stanowice ^C	P	602.03	-	602.03	-	-	gorzowski
127	4683	Stęszew ^G	Z	-	-	-	-	-	poznański
128	8233	Stężyca ^{C, O}	Z	50.08	-	50.08	-	-	garwoliński, rycki
129	4684	Strykowo ^G	Z	-	-	-	-	-	poznański
130	20243	Szczepowice ^G	E	290.32	-	290.32	287.32	8.90	grodziski, kościański, poznański
131	4721	Szewce E ^G	Z	53.21	-	53.21	-	-	poznański
132	4723	Szewce W ^G	Z	-	-	-	-	-	nowotomyski, poznański
133	4703	Szlichtyngowa ^G	E	93.59	93.59	-	71.47	20.17	wschowski
134	4940	Ślubów ^G	E	128.16	128.16	-	115.49	8.75	górowski
135	12079	Środa Wielkopolska ^G	T	64.12	-	64.12	64.08	-	średzki
136	4664	Tarchały ^G	E	1,319.75	1,319.75	-	152.25	27.10	ostrowski
137	4686	Trzebusz ^G	E	556.10	-	556.10	500.68	8.39	gryficki
138	20721	Tuchola ^G	E	256.57	-	256.57	217.75	0.02	tucholski
139	4729	Turkowo ^G	E	213.77	-	213.77	210.21	15.85	nowotomyski

	Field no. in the MIDAS System*	Name of field	State of develop- ment	Geological resources				Output	County
				exploitable anticipated economic anticipated sub-economic ^s			economic		
				Total	categories of resources exploration				
					A+B	C			
140	4674	Ujazd ^G	Z	-	-	-	-	-	grodziski
141	4731	Uników ^C	P	170.00	-	170.00	-	-	sieradzki, wieruszowski
142	8899	Wielichowo ^G	E	85.63	85.63	-	74.87	45.34	grodziski
143	19461	Wielichowo W ^G	E	23.39	23.39	-	23.42	3.65	grodziski
144	4692	Wierzchowice ^G	G	5,728.12	5,728.12	-	-	-	milicki
145	4939	Wierzchowice E ^C	Z	14.68	-	14.68	-	-	milicki
146	4938	Wierzchowice W ^G	Z	37.55	-	37.55	-	-	milicki
147	4666	Wierzchowo ^G	Z	-	-	-	-	-	koszaliński, szczecinecki
148	4701	Wierzowice ^G	E	376.17	-	376.17	3.84	1.51	górowski
149	4671	Wiewierz E ^G	E	16.80	16.80	-	15.97	0.95	górowski
150	4672	Wiewierz-W ^G	E	11.92	11.92	-	11.92	3.55	górowski
151	5986	Wilcze w utworach czerwonego spągowca ^G	R	354.60	244.00	110.60	243.10	-	wolsztyński, zielonogórski
152	5985	Wilcze w utworach dolomitu głównego ^G	P	133.87	-	133.87	112.00	-	wolsztyński, zielonogórski
153	11736	Wilga ^G	Z	-	-	-	-	-	otwocki
154	4716	Wilków ^G	E	555.54	555.54	-	169.18	50.15	głogowski, wschowski
155	14324	Winna Góra ^G	E	35.14	-	35.14	7.25	7.37	średzki, wrzesiński
156	4732	Wrzosowo ^G	P	600.00	-	600.00	-	-	kamieński
157	4713	Wysocko ^G	E	1.57	-	1.57	1.01	0.54	ostrowski
158	8757	Wysocko Małe E ^G	E	40.95	40.95	-	8.39	0.58	ostrowski
159	4804	Wysoka Kamieńska ^O	E	0.77	0.77	-	-	0.21	goleniowski
160	4719	Zakrzewo ^C	P	210.00	-	210.00	-	-	rawicki
161	4670	Załęcze ^G	E	675.31	675.31	-	170.41	71.92	górowski, rawicki
162	11160	Zaniemyśl ^G	Z	-	-	-	-	-	średzki, śremski
163	4735	Zbąszyń ^G	T	2,158.95	2,158.95	-	2,012.60	-	nowotomyski, wolsztyński
164	5513	Zielin ^O	Z	-	-	-	-	-	gryfiński
165	4702	Żakowo ^C	R	2,150.00	1,680.00	470.00	-	-	leszczyński
166	4798	Żarnowiec ^O	Z	-	-	-	-	-	pucki
167	5322	Żarnowiec W ^O	Z	-	-	-	-	-	pucki
168	4668	Żuchłów ^G	E	1,343.26	1,343.26	-	585.60	100.30	górowski
Carpathian Foreland number of fields: 121				34,573.41 62.46 ^s	14,607.14 21.91 ^s	19,966.27 40.55 ^s	15,872.13	1,131.09	
1	17429	Batycze ^G	E	5.01	-	5.01	5.01	0.40	przemyski
2	15734	Białoboki ^G	E	31.53	-	31.53	15.53	0.50	przeworski
3	8228	Biszczka ^G	E	100.50	47.73	52.77	64.43	0.78	biłgorajski
4	4636	Blizna-Ocieka ^G	E	190.73	-	190.73	177.31	11.82	mielecki, ropczycko-sędziszowski
5	21245	Bratkowice ^G	E	36.25	-	36.25	36.25	15.07	rzeszowski
6	4621	Brzezowiec w utworach miocenu ^G	Z	49.59	-	49.59	-	-	brzeski
7	4767	Brzezówka ^O	E	14.38	14.38	-	2.38	0.19	ropczycko-sędziszowski
8	4623	Brzeźnica ^G	G	45.59	45.59	-	45.59	-	dębicki
9	4933	Brzoza Królewska ^G	R	24.00	-	24.00	-	-	leżajski
10	19583	Brzyska Wola ^G	E	44.79	-	44.79	36.99	4.21	leżajski
11	5472	Buszkowiczki (Przemysł) ^G	M	-	-	-	-	-	przemyski
12	21318	Bystrowice ^G	P	18.08	-	18.08	8.61	-	jarosławski
13	11161	Chałupki Dębniańskie ^G	E	131.06	62.06	69.00	29.60	4.27	leżajski, przeworski
14	4642	Chotyniec ^G	P	40.00	-	40.00	-	-	jarosławski
15	10352	Cierpisz ^G	E	623.35	-	623.35	180.28	8.71	ropczycko-sędziszowski
16	4615	Czarna Sędziszowska ^G	E	32.92	-	32.92	0.29	0.00**)	ropczycko-sędziszowski
17	19374	Dąbrowica Duża ^G	E	84.76	-	84.76	77.10	13.12	leżajski
18	4620	Dąbrówka ^G	Z	-	-	-	-	-	bocheński
19	1296	Dębowiec Śląski ^G	E	17.98	17.98	-	11.59	1.07	cieszyński
20	5333	Dzików ^G	E	515.29	104.82	410.47	354.37	44.65	lubaczowski
21	18605	Dzików Stary ^G	Z	-	-	-	-	-	lubaczowski
22	19969	Gnojnica ^G	E	121.30	-	121.30	100.42	30.68	ropczycko-sędziszowski
23	12053	Góra Ropczycka ^G	E	106.90	-	106.90	70.18	0.44	ropczycko-sędziszowski
24	4600	Grabina-Nieznanowice ^G	E	310.29	161.09	149.20	13.61	1.59	bocheński, wielicki
25	4747	Grabina-Nieznanowice Południe ^G	Z	10.00	-	10.00	-	-	bocheński, wielicki
26	4640	Grądy Bocheńskie ^G	Z	-	-	-	-	-	bocheński, brzeski
27	4765	Grobla ^O	E	52.28	52.28	-	0.77	0.10	bocheński
28	21017	Grochowce ^G	E	27.46	-	27.46	26.46	0.50	przemyski
29	11683	Grodzisko Dolne ^G	E	94.56	-	94.56	38.99	2.79	leżajski
30	4633	Gubernia ^G	Z	-	-	-	-	-	przemyski
31	6453	Husów ^G	G	372.88	372.88	-	-	-	łańcucki
32	4611	Husów-Albigowa-Krasne ^G	E	1,057.76	185.05	872.71	249.72	27.41	łańcucki, m. Rzeszów, przeworski, rzeszowski
33	5380	Jadowniki ^G	P	330.00	-	330.00	-	-	brzeski
34	4595	Jarosław ^G	E	793.53	748.14	45.39	21.19	1.66	jarosławski

	Field no. in the MIDAS System*	Name of field	State of develop- ment	Geological resources			Output	County	
				exploitable anticipated economic anticipated sub-economic ^s		economic			
				Total	categories of resources exploration				
					A+B				C
35	9408	Jasionka ^G	E	857.09	-	857.09	374.12	16.80	rzeszowski
36	4885	Jastrząbka Stara ^O	E	0.25	0.25	-	0.25	0.05	dębicki
37	20687	Jastrzębiec ^G	B	781.76	-	781.76	617.03	8.43	biłgorajski, leżajski
38	4630	Jaśniny Północ ^G	E	144.96	44.76	100.20	54.22	2.79	tarnowski
39	18975	Jata ^G	T	13.06	-	13.06	7.25	-	niżański
40	12058	Jeżowe NW ^G	Z	-	-	-	-	-	niżański
41	5317	Jodłówka ^G	E	942.81	842.73	100.08	28.59	2.00	jarosławski
42	9557	Kaczyce I ^G	P	31.50	-	31.50	-	-	cieszyński
43	4601	Kańczuga ^G	E	98.91	93.43	5.48	78.11	4.38	przeworski
44	4744	Kąty Rakszawskie ^G	Z	-	-	-	-	-	łańcucki, rzeszowski
45	4617	Kielanówka-Rzeszów ^G	E	2,252.58	919.58	1,333.00	178.67	33.09	m. Rzeszów, rzeszowski
46	4743	Korzeniów ^G	Z	6.57 ^s	-	6.57 ^s	-	-	dębicki, mielecki
47	4770	Korzeniów ^O	Z	-	-	-	-	-	dębicki, mielecki
48	20725	Korzeniówek ^G	E	68.19	-	68.19	56.40	3.34	dębicki
49	13971	Kowale ^G	E	88.77	-	88.77	22.00	1.59	bielski
50	18718	Kramarzędka ^C	E	1,604.52	-	1,604.52	37.11	6.91	jarosławski, przemyski
51	20340	Królewska Góra ^G	E	130.90	-	130.90	93.18	0.04	rzeszowski
52	9407	Księżpól ^G	E	191.76	-	191.76	10.19	2.89	biłgorajski
53	20759	Kulno ^G	E	213.43	-	213.43	213.43	6.57	leżajski
54	10132	Kupno ^G	E	99.55	-	99.55	42.36	2.18	kolbuszowski, rzeszowski
55	5183	Kuryłówka ^G	E	225.15	154.33	70.82	96.01	13.21	leżajski
56	4643	Lipnica-Dzikowiec ^G	R	154.00	101.00	53.00	-	-	kolbuszowski
57	4604	Lubaczów ^G	E	358.77	172.62	186.15	175.27	29.02	lubaczowski
58	13702	Lubliniec - Cieszanów ^G	E	142.43	-	142.43	39.52	7.90	biłgorajski, lubaczowski
59	12078	Łapanów ^G	Z	-	-	-	-	-	bocheński
60	6357	Łapczyca ^G	E	0.9 ^s	0.91 ^s	-	-	0.11	bocheński
61	7113	Łazy ^G	Z	13.40	-	13.40	-	-	brzeski
62	4597	Łąka ^{G, C}	E	186.23	174.13	12.10	26.01	2.36	bocheński
63	9196	Łękawica ^G	E	26.86	-	26.86	4.11	1.14	tarnowski
64	6007	Łętowice-Bogumiłowice ^G	E	107.54	16.37	91.17	5.61	0.28	brzeski, tarnowski
65	9743	Łukowa ^G	E	196.07	-	196.07	154.13	3.85	biłgorajski
66	14167	Markowice ^G	E	46.34	10.16	36.18	41.17	7.29	biłgorajski
67	20724	Mielniki - Nowe Sióło ^G	E	271.63	-	271.63	270.83	1.93	lubaczowski
68	4605	Mirocin ^G	E	1,550.23	1,426.60	123.63	784.41	97.06	jarosławski, przeworski
69	6741	Mołodycz ^G	Z	19.00 ^s	-	19.00 ^s	-	-	jarosławski
70	10607	Morawsko ^G	E	179.56	-	179.56	25.37	2.97	jarosławski
71	4645	Niwiska ^G	Z	21.00 ^s	21.00 ^s	-	-	-	kolbuszowski, mielecki
72	8529	Nosówka ^G	E	353.21	166.47	186.74	61.53	0.13	ropczycko-sędziszowski, rzeszowski
73	4925	Nosówka ^O	E	2.19	2.19	-	2.12	0.24	rzeszowski
74	13696	Nowosielec ^G	E	75.62	-	75.62	27.41	0.03	niżański
75	19632	Olchowiec ^G	E	12.10	-	12.10	9.44	1.40	biłgorajski
76	8229	Palikówka ^G	E	579.09	71.27	507.82	179.84	6.48	łańcucki, rzeszowski
77	4638	Pilzno-Południe ^G	E	599.52	217.02	382.50	151.49	9.15	dębicki
78	16522	Podole ^G	Z	-	-	-	-	-	dębicki, mielecki
79	4648	Pogórska Wola ^G	Z	14.98 ^s	-	14.98 ^s	-	-	tarnowski
80	1295	Pogórz ^G	E	10.79	10.79	-	10.71	0.14	bielski, cieszyński
81	13691	Pogwizdów ^G	E	60.49	-	60.49	10.49	1.88	łańcucki
82	17451	Potok Górny ^G	E	20.31	-	20.31	17.61	2.18	biłgorajski
83	4609	Pruchnik-Pantalowice ^G	E	1,069.28	16.95	1,052.33	92.11	14.32	jarosławski, przeworski
84	4610	Przemyśl ^G	E	8,333.71	5,743.83	2,589.88	6,981.48	376.37	jarosławski, m. Przemyśl, przemyski
85	4606	Przeworsk ^G	E	529.12	40.26	488.86	333.74	45.80	przeworski
86	4840	Raciborsko ^G	E	429.33	-	429.33	1.83	0.19	wielicki
87	7788	Rajsko ^G	E	117.16	117.16	-	11.37	0.06	brzeski
88	4923	Rączyna ^G	Z	-	-	-	-	-	jarosławski, przeworski
89	19584	Rogoźnica ^G	E	141.17	-	141.17	129.17	7.94	rzeszowski
90	4634	Rokietnica ^G	P	120.00	-	120.00	-	-	jarosławski, przemyski
91	4635	Rudka ^G	E	145.23	-	145.23	39.27	6.18	leżajski, przeworski
92	4641	Rudołowice ^G	P	400.00	-	400.00	-	-	przeworski
93	4932	Rylowa ^C	E	227.74	227.74	-	162.27	10.14	brzeski
94	4639	Rysie ^G	Z	-	-	-	-	-	bocheński
95	21682	Ryszkowa Wola ^G	B	51.39	-	51.39	51.39	0.61	jarosławski
96	4614	Sarżyna ^G	T	46.46	20.01	26.45	10.67	-	leżajski, niżański
97	4637	Smolarzyny ^G	E	66.71	32.32	34.39	13.66	2.35	łańcucki
98	4644	Sokołów ^G	P	26.00	-	26.00	-	-	kolbuszowski, rzeszowski
99	9409	Stobierna ^G	E	153.68	-	153.68	3.38	1.18	rzeszowski
100	4649	Swarzów ^G	G	28.80	28.80	-	28.80	-	dąbrowski

	Field no. in the MIDAS System*	Name of field	State of develop- ment	Geological resources			Output	County	
				exploitable anticipated economic anticipated sub-economic ^s		economic			
				Total	categories of resources exploration				
					A+B				C
101	5318	Szczepanów ^G	E	160.36	160.36	-	3.21	2.26	brzeski
102	4745	Tarnogród-Wola Różaniecka ^G	E	172.24	-	172.24	78.70	14.17	biłgorajski, przeworski
103	4629	Tarnów w utworach jurajskich ^G	E	213.67	213.67	-	41.37	4.12	m. Tarnów, tarnowski
104	4628	Tarnów w utworach miocenu ^C	E	281.40	277.06	4.34	208.25	9.65	m. Tarnów, tarnowski
105	9556	Terliczka ^G	E	458.02	-	458.02	70.84	2.97	rzeszowski
106	4924	Tryńcza ^G	P	20.00	-	20.00	-	-	przeworski
107	10155	Trzebownisko ^G	Z	334.83	-	334.83	148.99	-	rzeszowski
108	4602	Uszkowce ^G	Z	-	-	-	-	-	lubaczowski
109	20531	Wielgoszówka ^G	B	15.39	-	15.39	15.39	0.00**)	brzeski
110	6008	Wierchosławice ^{C, O}	E	33.57	-	33.57	0.66	0.20	tarnowski
111	8762	Wola Obszańska ^G	E	135.24	75.94	59.30	64.82	7.60	biłgorajski, lubaczowski
112	12059	Wola Rokietnica ^G	E	98.59	-	98.59	63.24	4.87	jarosławski, przemyski
113	4646	Wola Zarczycka ^G	P	16.00	-	16.00	-	-	leżajski, rzeszowski
114	4625	Wygoda ^G	E	9.30	4.65	4.65	2.17	0.35	dębicki
115	21507	Zabiała ^G	P	284.00	-	284.00	211.00	-	lubaczowski
116	4616	Zagorzyce ^G	E	280.41	51.82	228.59	37.81	7.71	ropczycko-sędziszowski
117	4647	Zalesie ^G	E	1,551.09	1,223.06	328.03	1,274.20	138.14	m. Rzeszów
118	12478	Załęże ^G	E	115.62	-	115.62	98.01	0.26	m. Rzeszów, rzeszowski
119	21658	Zapałów ^G	B	19.60	-	19.60	19.60	0.40	jarosławski, lubaczowski
120	4612	Żołynia-Leżajsk ^G	E	417.24	137.81	279.43	202.07	23.48	leżajski, przeworski
121	4627	Żukowice ^G	Z	96.72	-	96.72	-	-	dębicki, tarnowski

**) output below 0.00 million m³

Accepted abbreviations used in "The balance of mineral deposits resources in Poland" for a state of a deposit/field development:

B – for fuels – a field being prepared for exploitation or a trial period of exploitation
E – an exploited deposit/field – with a valid exploitation concession; output carried out regularly (annually)
G – an underground natural gas storage facility
M – a deposit/field crossed out from domestic registry of mineral resources during last year (and covered by current registry edition)
P – a deposit/field covered by preliminary exploration (in a C category)
R – a deposit/field covered by detailed exploration (in A+B categories)
Z – an abandoned deposit/field – in which exploitation has been given up
T – a deposit/field with a valid exploitation concession, exploited intermittently

*MIDAS - System of management and protection of mineral resources in Poland

Definitions of resources (According to: the Regulation of the Minister of the Environment of the 1st of July 2015 on a geological-investment documentation of a hydrocarbon field (Journal of Laws 2015, Item 968); the Regulation of the Minister of the Environment of the 24th of April 2012 on detailed requirements for deposit development plans (Journal of Laws 2012, Item 511)):

Geological resources (in place) – total mineral resources within a deposit boundaries.

Exploitable resources – crude oil or natural gas resources, which are supposed to be extracted by applying current exploitation technology.

Anticipated economic resources – field resources (or part of a field) meeting limit values of parameters that define a field.

Anticipated sub-economic resources – field resources (or part of a field) not meeting limit values of parameters that define a field.

Economic resources (in place) – a part of anticipated economic resources or anticipated sub-economic resources or – in the case of brines, curative and thermal water – exploitable resources, within a projected mining area or a separated field part designed for development, that can be a subject of technically and economically justified exploitation upon meeting the law requirements, including environmental restraints.

Limit values of parameters that define a field – values of deposit parameters delineating a field geological boundaries.

Definitions of categories:

Hydrocarbons (According to: the Regulation of the Minister of the Environment of the 1st of July 2015 on the geological-investment documentation of a hydrocarbon field (Journal of Laws, Item 968)):

C (preliminary exploration) – hydrocarbons field boundaries are delineated on a basis of geophysical measurements and geological interpretation; such data, contained in a geological-investment documentation of a hydrocarbon field allow to plan other works necessary to continue field exploration or its exploitation, when there is hydrocarbon inflow from at least one well in an amount of economic value or, in the case of multi-horizontal fields, when a hydrocarbons saturation of gas and oil horizons is known on a basis of the drilling geophysics logging with gas, oil or methane inflow from at least one well in an amount of economic value. An admissible error of average field parameters and resources estimation cannot exceed 50%.

B (detailed exploration) – a geological structure of a field, its boundaries and reservoir parameters as well as their variability, are determined on a basis of detailed results of geological works; such data, contained in a geological-investment documentation of a hydrocarbon field allow to plan other works necessary to continue field exploration or its exploitation, when there is hydrocarbon inflow from at least one well in an amount of economic value. An admissible error of average field parameters and resources estimation cannot exceed 35%.

A (detailed exploration) – data for a B category are defined on a basis of exploitation results. An admissible error of average field parameters and resources estimate cannot exceed 20%.